



● pierwszy wybór  
○ wybór alternatywny

P				
M				
K				
N	●	●	●	●
S				
H				


■ CCGT-AL1

oznaczenie katalogowe ISO	D	L10	S	Rε	D1			
						HCK10	HWK10	HWK15
 CCGT060202AL1	6,35	6,45	2,38	0,2	2,80	●	●	
CCGT060204AL1	6,35	6,45	2,38	0,4	2,80	●	●	
CCGT09T302AL1	9,53	9,67	3,97	0,2	4,40			●
CCGT09T304AL1	9,53	9,67	3,97	0,4	4,40			●
CCGT09T308AL1	9,53	9,67	3,97	0,8	4,40	●	●	
CCGT120402AL1	12,70	12,90	4,76	0,2	5,50			●
CCGT120404AL1	12,70	12,90	4,76	0,4	5,50	●	●	
CCGT120408AL1	12,70	12,90	4,76	0,8	5,50	●	●	


■ CCGT-AL2


oznaczenie katalogowe ISO	D	L10	S	Rε	D1			
						HCK10	HWK10	HWK15
 CCGT060202AL2	6,35	6,45	2,38	0,2	2,80			●
CCGT060204AL2	6,35	6,45	2,38	0,4	2,80			●
CCGT09T304AL2	9,53	9,67	3,97	0,4	4,40			●
CCGT09T308AL2	9,53	9,67	3,97	0,8	4,40			●

■ CCGT-AL3

oznaczenie katalogowe ISO	D	L10	S	Rε	D1			
						HCK10	HWK10	HWK15
 CCGT060202AL3	6,35	6,45	2,38	0,2	2,80	●	●	
CCGT060204AL3	6,35	6,45	2,38	0,4	2,80	●	●	
CCGT09T302AL3	9,53	9,67	3,97	0,2	4,40			●
CCGT09T304AL3	9,53	9,67	3,97	0,4	4,40	●	●	
CCGT09T308AL3	9,53	9,67	3,97	0,8	4,40			●
CCGT120402AL3	12,70	12,90	4,76	0,2	5,50			●
CCGT120404AL3	12,70	12,90	4,76	0,4	5,50	●	●	
CCGT120408AL3	12,70	12,90	4,76	0,8	5,50	●	●	

■ CNGM-AL1

oznaczenie katalogowe ISO	D	L10	S	Rε	D1			
 CNGM190612AL1	19,05	19,34	6,35	1,2	7,93			●



● pierwszy wybór  
○ wybór alternatywny

P			
M			
K			
N	●	●	●
S			
H			

■ DCGT-AL1

	oznaczenie katalogowe ISO	D	L10	S	Rε	D1	HCK10	HWK10	HWK15
	DCGT070202AL1	6,35	7,75	2,38	0,2	2,80	●	●	
	DCGT070204AL1	6,35	7,75	2,38	0,4	2,80	●	●	
	DCGT11T302AL1	9,53	11,63	3,97	0,2	4,40	●	●	
	DCGT11T304AL1	9,53	11,63	3,97	0,4	4,40	●	●	
	DCGT11T308AL1	9,53	11,63	3,97	0,8	4,40	●	●	

■ DCGT-

	oznaczenie katalogowe ISO	D	L10	S	Rε	D1	HCK10	HWK10	HWK15
	DCGT070204AL2	6,35	7,75	2,38	0,4	2,80			●
	DCGT11T304AL2	9,53	11,63	3,97	0,4	4,40			●
	DCGT11T308AL2	9,53	11,63	3,97	0,8	4,40			●


■ DCGT-AL3

	oznaczenie katalogowe ISO	D	L10	S	Rε	D1	HCK10	HWK10	HWK15
	DCGT070202AL3	6,35	7,75	2,38	0,2	2,80	●	●	
	DCGT070204AL3	6,35	7,75	2,38	0,4	2,80	●	●	
	DCGT11T302AL3	9,53	11,63	3,97	0,2	4,40	●	●	
	DCGT11T304AL3	9,53	11,63	3,97	0,4	4,40	●	●	
	DCGT11T308AL3	9,53	11,63	3,97	0,8	4,40	●	●	

■ RCGT-AL1

	oznaczenie katalogowe ISO	D	L10	S	Rε	D1	HCK10	HWK10	HWK15
	RCGT0803M0AL1	8,00	—	3,18	—	3,40	●	●	
	RCGT1003M0AL1	10,00	—	3,18	—	4,40	●	●	


Płytki • Płytki z węgla spiekanego



● pierwszy wybór  
○ wybór alternatywny

P			
M			
K			
N	●	●	●
S			
H			

■ SCGT-AL1




oznaczenie katalogowe ISO  
SCGT09T304AL1  
SCGT09T308AL1  
SCGT120408AL1

D	L10	S	Rε	D1
9,53	9,53	3,97	0,4	4,40
9,53	9,53	3,97	0,8	4,40
12,70	12,70	4,76	0,8	5,50

HCK10  
HWK10  
HWK15

●	●	
●		
●		

■ SCGT-AL3




oznaczenie katalogowe ISO  
SCGT120408AL3

D	L10	S	Rε	D1
12,70	12,70	4,76	0,8	5,50

		●
--	--	---


■ TCGT-AL1



oznaczenie katalogowe ISO  
TCGT110202AL1  
TCGT110204AL1  
TCGT16T302AL1  
TCGT16T304AL1  
TCGT16T308AL1

D	L10	S	Rε	D1
6,35	11,00	2,38	0,2	2,80
6,35	11,00	2,38	0,4	2,80
9,53	16,50	3,97	0,2	4,40
9,53	16,50	3,97	0,4	4,40
9,53	16,50	3,97	0,8	4,40


●		
●		
●		
●		
●		




● pierwszy wybór  
○ wybór alternatywny

P				
M				
K				
N	●	●	●	
S				
H				

■ VCGT-AL1

	oznaczenie katalogowe ISO	D	L10	S	Rε	D1	HCK10	HWK10	HWK15
	VCGT110302AL1	6,35	11,07	3,18	0,2	2,80	●	●	
	VCGT110304AL1	6,35	11,07	3,18	0,4	2,80		●	
	VCGT110308AL1	6,35	11,07	3,18	0,8	2,80		●	
	VCGT160404AL1	9,53	16,61	4,76	0,4	4,40	●	●	
	VCGT160408AL1	9,53	16,61	4,76	0,8	4,40	●	●	
	VCGT160412AL1	9,53	16,61	4,76	1,2	4,40		●	
	VCGT220530AL1	12,70	22,14	5,56	3,0	5,50		●	

■ VCGT-AL3

	oznaczenie katalogowe ISO	D	L10	S	Rε	D1	HCK10	HWK10	HWK15
	VCGT110302AL3	6,35	11,07	3,18	0,2	2,80			●
	VCGT110304AL3	6,35	11,07	3,18	0,4	2,80			●
	VCGT160404AL3	9,53	16,61	4,76	0,4	4,40	●	●	
	VCGT160408AL3	9,53	16,61	4,76	0,8	4,40	●	●	
	VCGT160412AL3	9,53	16,61	4,76	1,2	4,40	●	●	
	VCGT220530AL3	12,70	22,14	5,56	3,0	5,50	●	●	

Płytki • Płytki z węgla spiekanego